

2022 Coding Update

Jan Blanchard, CPC, CPEDC, CPMA
Illinois Chapter, American Academy of Pediatrics
June 2022

Disclosures

I am an employed by Physician's Computer Company (PCC) in Winooski, VT, US

I serve as a contributing editor to the American Academy of Professional Coders' Pediatric Coding Alert

Disclaimer

The information presented is shared for the sole purpose of examining medical coding approaches and issues.

Though every effort has been made to develop accurate materials, this guidance is informal and is not intended to be legal advice.

Decisions relating to the management of your practice, coding your work, setting your fees, etc., should be made independently.

Objectives

Review updates to

1. AMA's **CPT** codeset which go into effect
January 1, 2022
2. the **ICD-10** codeset which *went* into effect on
October 1, 2021
 - a. Late Breaking Addition: COVID ICDs
effective **April 1, 2022**

Coding vs. Billing

Coding: Guidelines, Manuals

Coders can help

Billing: Carriers, Feds, State Policies

Billers can help

Place of Service Heads Up

[CMS Transmittal 11045](#)

POS 02 revised to become: "Telehealth Provided Other than in Patient's Home"

POS 10 added: "Telehealth Provided in Patient's Home"

"Patient is located in their home (which is a location other than a hospital or other facility where the patient receives care in a private residence)"

NOTE: This is the originating site, where the *patient* is located

EFFECTIVE DATE: January 1, 2022

IMPLEMENTATION DATE: April 4, 2022

2022 CPT Changes

CPT 2022 - COVID-19

Comprehensive, up to date references
for all of your COVID needs

Coding (AAP, updated 4/15/22)

Vaccine (CDC, updated 5/31/22),

Telehealth needs.

Advocacy and Payment, too!

CPT 2022 - COVID-19

NEW: Appendix Q

Severe Acute Respiratory Syndrome
Coronavirus 2 (SARS-CoV-2)
(coronavirus disease [COVID-19])
Vaccines

CPT 2022 - COVID-19

Appendix Q Table Lists:

- Vaccine Code
- Vaccine Administration Code(s)
- Vaccine Manufacturer Vaccine Name(s)
- NDC 10/NDC 11 Labeler Product ID (Vial)
- Dosing Interval

American Medical Association. CPT Professional 2022 (p. 1021). American Medical Association. Kindle Edition.

CPT 2022 - COVID-19

New Guidance:

Do not report 90460, 90461 or 90471, 90472 in conjunction with 91300, 91301, 91302, 91303, 91304, unless both a severe acute respiratory syndrome coronavirus 2 [SARS-CoV-2] [coronavirus disease (COVID-19)] vaccine/toxoid product and at least one vaccine/toxoid product from 90476-90759 are administered at the same encounter

American Medical Association. CPT Professional 2022 American Medical Association. Kindle Edition.

CPT 2022 - COVID-19

New Guidance:

Do not report 90476-90759 in conjunction with the SARS-CoV-2 (coronavirus disease [COVID-19]) immunization administration codes 0001A, 0002A, 0011A, 0012A, 0021A, 0022A, 0031A, 0041A, 0042A unless both a severe acute respiratory syndrome coronavirus 2 [SARS-CoV-2] [coronavirus disease (COVID-19)] vaccine/toxoid product and at least one vaccine/toxoid product from 90476-90759 are administered at the same encounter

American Medical Association. CPT Professional 2022 page 722 American Medical Association. Kindle Edition.

CPT 2022 - COVID-19

Interim updates may be found at:

<https://www.ama-assn.org/practice-management/cpt/category-i-vaccine-codes>

CPT 2022 - Other Imms

New:

- 90671 Pneumococcal conjugate vaccine, 15 valent, (PCV15), for intramuscular use
Pending FDA Approval at publication date
- 90677 Pneumococcal conjugate vaccine, 20 valent (PCV20), for intramuscular use

American Medical Association. CPT Professional 2022 (p. 725). American Medical Association. Kindle Edition.

CPT 2022 - Other Imms

New & Pending FDA Approval:

- 90626 Tick-borne encephalitis virus vaccine, inactivated; 0.25 mL dosage, for intramuscular use
 - 90627 0.5 mL dosage, for intramuscular use

American Medical Association. CPT Professional 2022 (p. 726). American Medical Association. Kindle Edition.

CPT 2022 - Other Imms

New:

- 90759 Hepatitis B vaccine (HepB), 3-antigen (S, Pre-S1, Pre-S2), 10 mcg dosage, 3 dose schedule, for intramuscular use
- 90758 Zaire ebolavirus vaccine, live, for intramuscular use

American Medical Association. CPT Professional 2022 (p. 727). American Medical Association. Kindle Edition.

Telehealth Changes

Guidance only:

Phone

- **99451, 99452** Unchanged
- **99446-99449** Unchanged
- **99441-99443** Unchanged
- **98966-98968** Addition of “do not report with” 99426, 99427, 99439, 99487, 99490, 99491

Telehealth Changes

Guidance only:

Online

- **98970-98972** Addition of “do not report with” 99091, 99339, 99340, 99374, 99375, 99377, 99378, 99379, 99380, 99426, 99427, 99437, 99439, 99487, 99489, 99490, 99491 for the same communication
- **99421-99423** Addition of “do not report with” 99339, 99340, 99374, 99375, 99377, 99378, 99379, 99339, 99340, 99374, 99375, 99377, 99378, 99379, 99380, 99242, 99425, 99426, 99427, 99437, 99487, 99489, 99491, 99495, 99496

CPT 2022 - E&M

99211 Modified

Office or other outpatient visit for the evaluation and management of an established patient; that may not require the presence of a physician or other qualified health care professional. ~~Usually, the presenting problem(s) are minimal.~~

Care Management Services

Disease specific work intended to

- Keep the patient out of the hospital
- Educate them about their condition
- Coordinate services required to treat and/or manage the condition

These services may be provided or overseen by MD/QHCP

CPT 2022 - Principal Care Management

New

Services focus on medical and/or psychological needs manifested by a single, complex chronic condition expected to last at least 3 months and include establishment, implementation, revision, or monitoring a care plan specific to that single disease.

Physician or other QHP

- **99424** first 30 mins during calendar month
- **99425** each additional 30 mins during calendar month

Clinical staff time directed by MD or QHP

- **99426** first 30 mins
- **99427** each additional 30 mins during calendar month

CPT 2022 - Chronic Care Management

Modified

- 99491 Chronic care management, first 30 mins. provided personally by MD or QHCP. **Required:**
 - Two or more chronic conditions expected to last at least 12 months or until death;
 - Chronic conditions that place pt at significant risk of death, acute exacerbation/decompensation, or functional decline;
 - Comprehensive care plan established, implemented, revised or monitored

Added

- 99437 ... each additional 30 minutes

CPT 2022 - Integumentary

Modified

- Simple repair / closure now narrowly defined to roll the use of chemical cautery, electrocautery, and adhesive strips alone into E&M services. "Simple" for reporting sutures, staples, adhesives.
 - 12001-12021, e.g.

CPT 2022 - Musculoskeletal

Modified

- Splinting for stability pending definitive fracture care no longer separately reportable

CPT 2022 - Musculoskeletal

Modified

- Closed treatment of nasal fracture now requires manipulation to be separately reportable. Absent manipulation, it is part of the E&M service.

Deleted

- 21310 Closed treatment of nasal bone fracture without manipulation

2022 ICD-10 Changes

ICD-10 2022 - Chapter 5 Mental, Behavioral, Neurodevelopmental (F01-F99)

Synonyms **Moved** from:

F32.9 Major depressive disorder, single episode, unspecified

~~Depression NOS~~

~~Depressive disorder NOS~~

To their own code:

F32.A Depression, unspecified

Depression NOS

Depressive disorder NOS

**ICD-10 2022- Chapter 5 Mental, Behavioral
Neurodevelopmental disorders (F01-F99)**

Change to guidance for
F50 Eating disorders

~~Excludes1: feeding difficulties (R63.3)~~

Excludes2: feeding difficulties (R63.3)

**ICD-10 2022- Chapter 5 Mental, Behavioral
and Neurodevelopmental disorders
(F01-F99)**

Change to guidance for
F84 Pervasive developmental disorders

~~Use Additional code to identify any associated
medical condition and intellectual disabilities.~~

*Code also any associated medical condition and
intellectual disabilities*

**ICD-10 2022- Chapter 5 Mental, Behavioral
and Neurodevelopmental disorders
(F01-F99)**

Change to guidance for
F98.2 Other feeding disorders of infancy and
childhood

~~Excludes1: feeding difficulties (R63.3)~~

Excludes2: feeding difficulties (R63.3)

2022 ICD-10 Updates - Eff 10/1/21

- 2022 ICD-10 Tabular Addenda (zip file)
 - Changes only and...it's FREE!!!
- 2022 file list

2022 ICD Changes - Guidelines

Documentation of Laterality:

When not documented by provider, code assignment for affected side may be based on medical record documentation from other clinicians.

2022 ICD Changes - Guidelines

COVID

- Sequela: **U09.9** Post COVID-19 condition, unspecified
- New case in a previously affected patient: U09.9 with **U07.1** COVID-19
- Follow-up, resolved: **Z86.16** Personal history of COVID-19

2022 ICD Changes - Guidelines

SDoH (Z55-Z65)

- Codes describing social determinants of health (SDOH) should be assigned when this information is documented.
- ...code assignment may be based on medical record documentation from clinicians involved in the care of the patient

2022 ICD Changes - Guidelines

SDoH (Z55-Z65)

- Patient self-reported documentation may be used to assign codes as long as it is signed-off by, incorporated into record by a clinician or provider

2022 ICD Changes - Guidelines

SDoH (Z55-Z65) Problems related to...

- Z55 ... education and literacy
- Z56 ... employment and unemployment
- Z57 Occup. exposure to risk factors
- Z58 ... physical environment
- Z59 ... housing/economic circumstances

2022 ICD Changes - Guidelines

SDoH (Z55-Z65) Problems related to...

- Z60 ... social environment
- Z62 ... upbringing
- Z63 Other ... primary support group, family circumstances
- Z64 ... certain psychosocial circumstances
- Z65 ... other psychosocial circumstances

ICD10-2022 - Chapter 1

**Certain infectious and parasitic diseases
(A00-B99)**

NEW Synonyms:

A37.00 Whooping cough due to *Bordetella pertussis* without pneumonia

Paroxysmal cough due to Bordetella pertussis without pneumonia

A37.01 Whooping cough due to *Bordetella pertussis* with pneumonia

Paroxysmal cough due to Bordetella pertussis with pneumonia

ICD10-2022 - Chapter 1

**Certain infectious and parasitic diseases
(A00-B99)**

Modified *Excludes*:

A77.4 Ehrlichiosis

Excludes1:

NEW: anaplasmosis [*A. phagocytophilum*]
(A79.82)

rickettsiosis due to *Ehrlichia sennetsu*
(A79.81)

**ICD10-2022 - Chapter 1
Certain infectious and parasitic diseases
(A00-B99)**

B97.4 Respiratory syncytial virus as the cause of diseases classified elsewhere

This Excludes2 changed to Excludes1:

- acute bronchiolitis due to respiratory syncytial virus (RSV) (J21.0)
- acute bronchitis due to respiratory syncytial virus (RSV) (J20.5)
- respiratory syncytial virus (RSV) pneumonia (J12.1)

**ICD-10 2022 - Chapter 3 Blood,
blood-forming organs, immune mechanism
(D50-D89)**

E63 Other nutritional deficiencies

Excludes1 became Excludes2:

- dehydration (E86.0)
- failure to thrive, adult (R62.7)
- failure to thrive, child (R62.51)
- feeding problems in newborn (P92.-)
- sequelae of malnutrition and other nutritional deficiencies (E64.-)

**ICD-10 2022 - Chapter 10 Diseases of the
respiratory system (J00-J99)**

Some grammatical fixes +:

Change to guidance for J47.0 Bronchiectasis with acute lower respiratory infection

~~Use Additional code to identify the infection~~

Code also to identify infection, if applicable

**ICD-10 2022 - Chapter 12 Diseases of the skin
and subcutaneous tissue (L00-L99)**

NEW: L24.A Irritant contact dermatitis due to friction or contact w/body fluids

Excludes1: irritant contact dermatitis related to stoma or fistula (L24.B-)

Excludes2: erythema intertrigo (L30.4)

L24.A0 ... unspecified

L24.A1 ... due to saliva

L24.A2 ... due to fecal, urinary or dual incontinence

Excludes1: diaper dermatitis (L22)

L24.A9 ... due friction or contact w/other specified body fluids

Irritant contact dermatitis related to endotracheal tube

Wound fluids, exudate

**ICD-10 2022 - Chapter 12 Diseases of the skin
and subcutaneous tissue (L00-L99)**

NEW: L24.B Irritant contact dermatitis related to stoma or fistula
Use Additional code to identify any artificial opening status (Z93.-), if applicable, for contact

dermatitis related to stoma secretions

L24.B0 ... unspecified stoma or fistula

Irritant contact dermatitis related to fistula NOS

Irritant contact dermatitis related to stoma NOS

L24.B1 ... digestive stoma or fistula

Irritant contact dermatitis related to gastrostomy

Irritant contact dermatitis related to jejunostomy

Irritant contact dermatitis related to saliva or spit fistula

**ICD-10 2022 - Chapter 12 Diseases of the skin
and subcutaneous tissue (L00-L99)**

NEW: L24.B Irritant contact dermatitis related to stoma or fistula
(cont'd)

L24.B2 ... respiratory stoma or fistula

Irritant contact dermatitis related to tracheostomy

L24.B3 ... fecal or urinary stoma or fistula

Irritant contact dermatitis related to colostomy

Irritant contact dermatitis related to enterocutaneous fistula

Irritant contact dermatitis related to ileostomy

ICD-10 2022 - Chapter 13 Musculoskeletal system connective tissue (M00-M99)

NEW:

M54.50 Low back pain, unspecified

Loin pain

Lumbago NOS

M54.51 Vertebrogenic low back pain

Low back vertebral endplate pain

M54.59 Other low back pain

ICD-10 2022 - Chapter 14 Diseases of the genitourinary system (N00-N99)

New guidance added to:

N39.44 Nocturnal enuresis

Excludes2: nocturnal polyuria (R35.81)

ICD-10 2022 - Chapter 16 Certain conditions originating in the perinatal period (P00-P96)

New guidance:

P00.2 Newborn affected by maternal infectious and parasitic diseases

Excludes2: newborn affected by (positive) maternal group B streptococcus (GBS) colonization (P00.82)

ICD-10 2022 - Chapter 16 Certain conditions originating in the perinatal period (P00-P96)

NEW:

P00.82 Newborn affected by (positive) maternal group B streptococcus (GBS) colonization

Contact with positive maternal group B streptococcus

New guidance:

P00.89 Newborn affected by other maternal conditions

Use Additional Excludes 2: newborn affected by positive maternal group B streptococcus (GBS) colonization (P00.82)

ICD-10 2022 - Chapter 16 Certain conditions originating in the perinatal period (P00-P96)

New guidance:

P09 Abnormal findings on neonatal screening

~~Use Additional code to identify signs, symptoms and conditions associated with the screening~~

Includes:

Abnormal findings on state mandated newborn screens

Failed newborn screening

ICD-10 2022 - Chapter 16 Certain conditions originating in the perinatal period (P00-P96)

NEW:

P09.1 Abnormal findings on neonatal screening for inborn errors of metabolism

P09.2 Abnormal findings on neonatal screening for congenital endocrine disease

Abnormal findings on neonatal screening for congenital adrenal hyperplasia

Abnormal findings on neonatal screening for hypothyroidism screen

ICD-10 2022 - Chapter 16 Certain conditions originating in the perinatal period (P00-P96)

NEW: (cont'd)

P09.3 Abnormal findings on neonatal screening for congenital hematologic disorders

Abnormal findings for hemoglobinopathies screen

Abnormal findings on red cell membrane defects screen

Abnormal findings on sickle cell screen

P09.4 Abnormal findings on neonatal screening for cystic fibrosis

P09.5 Abnormal findings on neonatal screening for critical congenital heart disease

Neonatal congenital heart disease screening failure

ICD-10 2022 - Chapter 16 Certain conditions originating in the perinatal period (P00-P96)

NEW: (cont'd)

P09.6 Abnormal findings on neonatal screening for neonatal hearing loss

Excludes2: encounter for hearing examination following failed hearing screening (Z01.110)

P09.8 Other abnormal findings on neonatal screening

P09.9 Abnormal findings on neonatal screening, unspecified

ICD-10 2022 - Chapter 16 Certain conditions originating in the perinatal period (P00-P96)

New guidance:

P29 Cardiovascular disorders originating in the perinatal period

Excludes1: congenital malformations of the circulatory system (Q20-Q28)

Excludes2: congenital malformations of the circulatory system (Q20-Q28)

P92 Feeding problems of newborn

Excludes1: feeding problems in child over 28 days old (R63.3)

Excludes2: feeding problems in child over 28 days old (R63.3)

ICD-10 2022 - Chapter 18 Symptoms, signs, abn clinical, laboratory findings, NEC (R00-R99)

NEW:

- R05.1** Acute cough
- R05.2** Subacute cough
- R05.3** Chronic cough
 - Persistent cough
 - Refractory cough
 - Unexplained cough
- R05.4** Cough syncope
 - Code first syncope and collapse (R55)
- R05.8** Other specified cough
- R05.9** Cough, unspecified

ICD-10 2022 - Chapter 18 Symptoms, signs, abn clinical, laboratory findings, NEC (R00-R99)

NEW:

- R35.81** Nocturnal polyuria
 - Excludes2: nocturnal enuresis (N39.44)
- R35.89** Other polyuria
 - Polyuria NOS

ICD-10 2022 - Chapter 18 Symptoms, signs, abn clinical, laboratory findings, NEC (R00-R99)

NEW:

- R45.88** Nonsuicidal self-harm
 - Nonsuicidal self-injury
 - Nonsuicidal self-mutilation
 - Self-inflicted injury without suicidal intent
 - Code also injury, if known*

**ICD-10 2022 - Chapter 18 Symptoms, signs, abn
clinical, laboratory findings, NEC (R00-R99)**

NEW:

R63.30 Feeding difficulties, unspecified

R63.31 Pediatric feeding disorder,
acute

Pediatric feeding dysfunction, acute

Code also, if applicable, associated
conditions such as:

aspiration pneumonia (J69.0)

dysphagia (R13.1-)

GERD (K21.-)

malnutrition (E40-E46)

R63.32 Pediatric feeding disorder,
chronic

*Pediatric feeding dysfunction,
chronic*

Code also, if applicable, associated
conditions such as:

aspiration pneumonia (J69.0)

dysphagia (R13.1-)

GERD (K21.-)

malnutrition (E40-E46)

**ICD-10 2022 - Chapter 19 Injury, poisoning,
other consequences of external causes**

NEW CODES: (cont'd) (S00-T88)

R63.39 Other feeding difficulties

Feeding problem (elderly) (infant)

NOS Picky eater

**ICD-10 2022 - Chapter 19 Injury, poisoning,
other consequences of external causes
(S00-T88)**

T40.71 Poisoning by, adverse effect of and underdosing of
cannabis (derivatives)

T40.711 Poisoning by cannabis, accidental
(unintentional)

T40.712 Poisoning by cannabis, intentional self-harm

T40.713 Poisoning by cannabis, assault

T40.714 Poisoning by cannabis, undetermined

T40.715 Adverse effect of cannabis

T40.716 Underdosing of cannabis

**ICD-10 2022 - Chapter 19 Injury, poisoning,
other consequences of external causes
(S00-T88)**

T40.72 Poisoning by, adverse effect of and underdosing of
synthetic cannabinoids

T40.721 Poisoning by synthetic cannabinoids, accidental
(unintentional)

T40.722 Poisoning by synthetic cannabinoids, intentional
self-harm

T40.723 Poisoning by synthetic cannabinoids, assault

T40.724 Poisoning by synthetic cannabinoids, undetermined

T40.725 Adverse effect of synthetic cannabinoids

T40.726 Underdosing of synthetic cannabinoids

**ICD-10 2022 - Chapter 20 External causes of
morbidity (V00-Y99)**

NEW:

Y35.899 Legal intervention involving other
specified means, unspecified person
injured

**ICD-10 2022 - Chapter 21 Factors influencing
health status and contact with health
services**

New guidance:

Z23 Encounter for immunization

*Code also, if applicable, encounter for immunization
safety counseling (Z71.85)*

Z28 Immunization not carried out and
underimmunization status

*Code also, if applicable, encounter for immunization
safety counseling (Z71.85)*

ICD-10 2022 - Chapter 21 Factors influencing health status and contact with health services

New: Z71 Persons encountering health services for other counseling and medical advice, not elsewhere classified

Note: Code **Z71.84**, Encounter for health counseling related to travel, is to be used for health risk and safety counseling for future travel purposes.

ICD-10 2022 - Chapter 21 Factors influencing health status and contact with health services

New: Z71 Persons encountering health services for other counseling and medical advice, not elsewhere classified

Code **Z71.85**, Encounter for immunization safety counseling, is to be used for counseling of the patient or caregiver regarding the *safety* of a vaccine. This code should not be used for the provision of general information regarding risks and potential side effects during routine encounters for the administration of vaccines.”

ICD-10 2022 - Chapter 21 Factors influencing health status and contact with health services (Z00-Z99)

NEW:

Z55 Problems related to education and literacy

Z55.5 Less than a high school diploma
No general equivalence degree (GED)

Z58 Problems related to physical environment
Excludes:2: occupational exposure (Z57.-)

Z58.6 Inadequate drinking-water supply
Lack of safe drinking water
Excludes2: deprivation of water (T73.1)

ICD-10 2022 - Chapter 21 Factors influencing health status and contact with health services (Z00-Z99)

NEW:

Z59.0 Homelessness

Z59.00 Homelessness unspecified

Z59.01 Sheltered homelessness

Doubled up

Living in a shelter such as: motel, scattered site housing, temporary or transitional living situation

Z59.02 Unsheltered homelessness

Residing in place not meant for human habitation such as: abandoned buildings, cars, parks, sidewalk

Residing on the street

ICD-10 2022 - Chapter 21 Factors influencing health status and contact with health services (Z00-Z99)

Changes:

~~Z59.4 Lack of adequate food and safe drinking water~~

Z59.4 Lack of adequate food

Inadequate drinking water supply

Excludes2: deprivation of food (T73.0)

effects of hunger (T73.0)

inappropriate diet or eating habits (Z72.4)

malnutrition (E40-E46)

ICD-10 2022 - Chapter 21 Factors influencing health status and contact with health services (Z00-Z99)

NEW:

Z59.41 Food insecurity

Z59.48 Other specified lack of adequate food

Inadequate food

Lack of food

Social Determinants of Health

LEVEL 4

Moderate Risk

EXAMPLES ONLY:

- Prescription drug management
- Decision regarding minor surgery with identified patient or procedure risk factors
- Decision regarding elective major surgery without identified patient or procedure risk factors
- Diagnosis or treatment significantly limited by social determinants of health



ICD-10 2022 - Chapter 21 Factors influencing health status and contact with health services (Z00-Z99)

NEW:

Z71.85 Encounter for immunization safety counseling

ICD-10 2022 - Chapter 22 Codes for special purposes (U00-U85)

Provisional assignment of new diseases of uncertain etiology or emergency use (U00-U49)

ALL NEW:

U09 Post COVID-19 condition

U09.9 Post COVID-19 condition, unspecified

Note: This code enables establishment of a link with COVID-19. This code is not to be used in cases that are still presenting with active COVID-19. However, an exception is made in cases of re-infection with COVID-19, occurring with a condition related to prior COVID-19.

Post-acute sequela of COVID-19

**ICD-10 2022 - Chapter 22 Special purposes
(U00-U85)**

U09.9 Post COVID-19 condition, unspecified (cont'd)

Code first the specific condition related to COVID-19 if known, such as:

- chronic respiratory failure (J96.1-)
- loss of smell (R43.8)
- loss of taste (R43.8)
- multisystem inflammatory syndrome (M35.81)
- pulmonary embolism (I26.-)
- pulmonary fibrosis (J84.10)

**April 2022 ICD-10
Changes**

ICD-10 2022 - Mid-year Additions

Files

- [April 1, 2022 Guidelines](#)
- [April 1, 2022 Tabular Addenda PDF](#)
- [All Files](#)

ICD-10 2022 - Mid-year Additions

Guidelines

General Coding Guidelines:

Section 2. Level of Detail in Coding

Diagnosis codes are to be used and reported at their highest number of characters

available and to the highest level of specificity documented in the medical record.

ICD-10 2022 - Mid-year Additions

Z28.3 Underimmunization status

Delinquent immunization status

Lapsed immunization schedule status

NEW: Use Additional code, if applicable, to identify:

-immunization not carried out because of contraindication (Z28.0-)

-immunization not carried out because of patient decision for other and unspecified reason (Z28.2-)

-immunization not carried out because of patient decision for reasons of belief or group pressure (Z28.1)

-immunization not carried out for other reason (Z28.8-)

ICD-10 2022 - Mid-year Additions

ALL NEW:

Z28.31 Underimmunization for COVID-19 status

Note: These codes should not be used for individuals who are not eligible for the COVID-19 vaccines, as determined by the healthcare provider.

Z28.310 Unvaccinated for COVID-19

Z28.311 Partially vaccinated for COVID-19

Z28.39 Other underimmunization status

Delinquent immunization status

Lapsed immunization schedule status

ICD-10 2022 - Mid-year Additions

Z87.7 Personal history of (corrected) congenital malformations

~~Excludes1: congenital malformations that have been partially corrected or repair but which still require medical treatment - code to condition~~

NEW: Excludes2: congenital malformations that have been partially corrected or repaired but which still require medical treatment - code to condition

ICD-10 2022 - Mid-year Additions

U09 Post COVID-19 condition

U09.9 Post COVID-19 condition, unspecified

Post-acute sequela of COVID-19

~~Note: Post acute sequela of COVID-19~~

ICD 2022 - Special Request

Use of Secondary Diagnosis codes

Examples:

- Codes for SDoH
- BMI
- Coma scale
- Blood alcohol level
- Place of Occurrence
- External cause of morbidity (appropriate injury code should be sequenced before external cause)

Source: [2022 ICD Guidelines](#)

ICD 2022 - Special Request

Use of Secondary Diagnosis codes

Examples (continued):

- “In diseases classified elsewhere” codes
 - Must be used in conjunction with an underlying condition code
 - Must be listed following the underlying condition.

Source: [2022 ICD Guidelines](#)

What questions do you have?

Many Thanks!

Jan Blanchard, CPC, CPEDC,
CPMA

jan@pcc.com
