2024-2025 COVID-19 VACCINE





	MODERNA			
AGE INDICATIONS AND FORMULATION	6 Months-11 Years	12+ Years		
VIAL CAP COLOR	Dark Blue	Dark Blue		
VIAL LABEL BORDER COLOR	Green	Dark Blue		
PREPARATION	Do Not Dilute	Do Not Dilute		
DOSE	25 mcg/0.25 mL dosage	50 mcg/0.5 mL dosage		
DOSES PER VIAL	1 Pre-Filled Syringe	1 Pre-Filled Syringe		
ULT FREEZER (-90°C TO -60°C)	DO NOT STORE	DO NOT STORE		
FREEZER (-50°C TO -15°C)	Until Expiration Date	Until Expiration Date		
REFRIGERATOR (2°C TO 8°C)	60 Days	60 Days		
ROOM TEMPERATURE (8°C TO 25°C)	12 Hours	12 Hours		
AFTER FIRST PUNCTURE (2°C TO 25°C)	N/A	N/A		
THAW TIME	One Syringe: In Refrigerator: 1 hour At Room Temp: 45 mins		Carton of 10 Syringes: In Refrigerator: 2 hours and 30 mins At Room Temp: 2 hours and 15 mins	

2024-2025 COVID-19 VACCINE

Last updated September 20, 2024



	PFIZER			
AGE INDICATIONS AND FORMULATION	6 Months-4 Years	5–11 Years Single-Dose Vial	12+ Years Pre-Filled Glass Syringe	
VIAL CAP COLOR	Yellow	Blue	N/A	
VIAL LABEL BORDER COLOR	Yellow	Blue	N/A	
PREPARATION	Dilute	Do Not Dilute	N/A	
DOSE	3 mcg/ 0.3 mL dosage	10 mcg/ 0.3 mL dosage	30 mcg/ 0.3 mL dosage	
DOSES PER VIAL	3	1	1 – Pre-Filled Syringe	
ULT FREEZER (-90°C TO -60°C)	18 Months	18 Months	DO NOT STORE	
FREEZER (-50°C TO -15°C)	DO NOT STORE	DO NOT STORE	DO NOT STORE	
REFRIGERATOR (2°C TO 8°C)	10 Weeks	10 Weeks	Up to 8 Months from Date of Manufacture	
ROOM TEMPERATURE (8°C TO 25°C)	12 Hours Prior to First Puncture	12 Hours Prior to Use	12 Hours Prior to Use	
AFTER FIRST PUNCTURE (2°C TO 25°C)	Discard After 12 Hours	N/A	N/A	
THAW TIME	In Refrigerator: Up to 2 hours At Room Temp: 30 mins	In Refrigerator: Up to 2 hours At Room Temp: 30 mins	N/A	

2024-2025 COVID-19 VACCINE

Last updated September 20, 2024



	NOVAVAX	
AGE INDICATIONS	12 years and older	
VIAL CAP COLOR/ LABEL WITH COLOR BORDER	Royal Blue Cap	
PREPARATION	Do Not Dilute	
DOSE	0.5 mL	
DOSES PER VIAL	1 Pre-Filled Syringe	
ULT FREEZER (-90°C TO -60°C)	DO NOT STORE	
FREEZER (-25°C TO -15°C)	DO NOT STORE	
REFRIGERATOR (2°C TO 8°C) °	Until Expiration Date	
ROOM TEMPERATURE (8°C TO 25°C) INCLUDING ANY THAW TIME	12 Hours	
AFTER FIRST PUNCTURE (2°C TO 25°C)	12 Hours	

^a Regardless of storage condition, vaccines should not be used after the expiration date.